

DRAINING WATER OUTLET WITH PERFORATED FLANGE




INDEX

1. Code Registry
2. Use
3. Technical Specification

1. CODE REGISTRY

Code	Description	Dimension (mm)	Weight	Pkg. / Pallet
BOC01-1109F	Draining water outlet with perforate flange	ø 63	0,198 kg/pcs.	25 pcs. / 150 pcs.
BOC01-1109SF	Draining water outlet with perforate flange	ø 75	0,190 kg/pcs.	25 pcs. / 150 pcs.
BOC01-1110F	Draining water outlet with perforate flange	ø 80	0,192 kg/pcs.	25 pcs. / 150 pcs.
BOC01-1110SF	Draining water outlet with perforate flange	ø 90	0,193 kg/pcs.	25 pcs. / 150 pcs.
BOC01-1111F	Draining water outlet with perforate flange	ø 100	0,195 kg/pcs.	20 pcs. / 120 pcs.
BOC01-1111SF	Draining water outlet with perforate flange	ø 110	0,362 kg/pcs.	20 pcs. / 120 pcs.
BOC01-1112F	Draining water outlet with perforate flange	ø 120	0,215 kg/pcs.	20 pcs. / 120 pcs.

MATERIAL Made of TPE (thermoplastic elastomer).




DESCRIPTION	A	B	C	D*	E
BOC01-1109F	320	240	32	63	1,5
BOC01-1109SF	320	240	32	75	1,5
BOC01-1110F	320	240	32	80	1,5
BOC01-1110SF	320	240	32	90	1,5
BOC01-1111F	320	240	32	100	1,5
BOC01-1111SF	320	240	32	110	1,5
BOC01-1112F	320	240	32	120	1,5

* pipe from

DRAINING WATER OUTLET WITH PERFORATED FLANGE

2. USE

Used for vertical evacuation of rainwater in flat roofs.



3. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.O.BOC01.110xF	Supply and installation of draining water outlet consists in a perforated flange to improve the connection to the waterproofing membrane. Tube has a length of 240 mm and diameters from 63 to 120 mm. Made of TPE (thermoplastic elastomer). Used for vertical evacuation of rainwater in flat roofs.		
Dak.O.BOC01.1109F	Dimension \varnothing 63 mm.....	pc.	-
Dak.O.BOC01.1109SF	Dimension \varnothing 75 mm.....	pc.	-
Dak.O.BOC01.1110F	Dimension \varnothing 80 mm.....	pc.	-
Dak.O.BOC01.1110SF	Dimension \varnothing 90 mm.....	pc.	-
Dak.O.BOC01.1111F	Dimension \varnothing 100 mm.....	pc.	-
Dak.O.BOC01.1111SF	Dimension \varnothing 110 mm.....	pc.	-
Dak.O.BOC01.1112F	Dimension \varnothing 120 mm.....	pc.	-

